Author Index

Volume 7 (1990)

Alberty, M., M. Spinnler and G. Ohm, QPSK/SQPSK modulators in advanced technology for regenerative repeaters (4–6) 513–519

Alletto, G., B. Baccetti and G.L. Lombardi, Single-chip ASIC design of a $K=7$ Viterbi decoder for application to SMS/IBS and IDR systems (4–6) 597–602

Ananasso, F., G. Chiassarini, A. D'Ambrosio, L.F. Franti, G. Gallinaro and E. Saggese, A MultiCarrier Demodulator and its front-end for a Multi-Frequency TDMA (4–6) 531–542

Ansorge, H., 2.4 m offset dual reflector antenna for a transportable 20/30 GHz earth station (4–6) 629–638

Arndt, F., *see* B. Schlobohm (4–6) 621–628

Atungsiri, S.A., A.M. Kondoz and B.G. Evans, Robust 4.8 kbit/s CELP-BB speech coder for satellite-land mobile communications (4–6) 589–595

Baccetti, B., *see* G. Alletto (4–6) 597–602

Bakken, P.M., *see* V. Ringset (4–6) 521–529

Berner, W. and M. Piontek, On-board processing satellites as networks nodes (4–6) 399–403

Berner, W. and M. Piontek, Switching structures for on-board processing (4–6) 405–410

Berner, W., *see* M. Piontek (4–6) 411–420

Bjérnström, G., *see* V. Ringset (4–6) 521–529

Börner, S., *see* Th. Wiesmann (4–6) 443–450

Böttcher, A. and M. Dippold, A comparison of two multiple access schemes for satellite networks with error-prone transmission (4–6) 333–343

Chiassarini, G., *see* F. Ananasso (4–6) 531–542

Coakley, F.P., *see* W.H. Yim (4–6) 543–548

D'Ambrosio, A., *see* F. Ananasso (4–6) 531–542

De Gaudenzi, R., R. Loforti and M. Lopriore, Analysis of a slow TDMA multiple access system for data relay satellite applications (4–6) 319–331

De Padova, S., F. Marconicchio, A. Saitto and F. Valdoni, Integration and exploitation aspects for a switching satellite system in the Italian public network (4–6) 495–503

Della Torre, A. and H. Ebbesen, Application of mm-wave frequencies for intersatellite link communications (4–6) 443–450

Di Martino, R., *see* A. Morris (4–6) 561–567

Dippold, M., *see* A. Böttcher (4–6) 333–343

Dolainsky, F., R. Schweikert and A.J. Vinck, A concatenated Reed-Solomon-SPC coding scheme with soft decision (4–6) 293–297

Douville, R., *see* E.K. Tsang (2) 133–138

Dudok, E., *see* H. Wolf, (4–6) 549–558

Ebbesen, H., *see* A. Della Torre (4–6) 443–450

Egbon, M., Promises of new communications technologies and the African dilemma (1) 45–56

Evans, B.G., *see* A.M. Atungsiri (4–6) 589–595

Evans, B.G., *see* W.H. Yim (4–6) 543–548

Franti, L.F., *see* F. Ananasso (4–6) 531–542

Gallinaro, G., *see* F. Ananasso (4–6) 531–542

Giubilei, R., *see* A. Morando (4–6) 365–383

Glandorf, F.J. and P. Kück, 30 GHz low-noise HEMT amplifier for satellite applications (4–6) 507–512

Hamamoto, N., K. Kondo and S. Ohmori, Results on CRL's mobile satellite communication experiments using ETS-V satellite (4–6) 483–493

Heichler, J., A fault-tolerant bus for space applications (4–6) 421–431

Hirata, T., Development status of Aeronautical satellite communication system at TOYOCOM Japan (2) 119–131

Huber, M.N., *see* M. Piontek (4–6) 411–420

Jacobs, I.M., An overview of the OmniTRACS: The first operational two-way mobile Ku-band satellite communications system (1) 25–35

Jacobs, S., *see* U. Quernheim (4–6) 345–352

James, N.D., Digitally implemented modems and their effect on future satellite communications systems (4–6) 603–612

Elsevier
Space Communications 7 (1990) 645–647

Kim, Y.S., Effects of receiver noise on space communication link (3) 237–241
Kocher, H., *see* M. Piontek (4–6) 411–420
Kondo, K., *see* N. Hamamoto (4–6) 483–493
Kondoz, A.M., *see* A.M. Atungsiri (4–6) 589–595
Koschnick, P. and H.-J. Schrewe, An adaptive antenna for mobile reception of digital transmitted traffic messages via DBS satellites (4–6) 639–644
Krietenstein, K., The Leeheim radio monitoring station for space services–Tasks and controlling activities, technical equipment (4–6) 577–585
Kück, P., *see* F.J. Glandorf (4–6) 507–512
Kwan, C.C.D., *see* W.H. Yim (4–6) 543–548

Leclair, A., Modular power: A new, global approach to earth station power amplifier (4–6) 613–618
Levin, H.J., Global claim-staking and latecomer cost in the orbit spectrum resource (3) 195–211
Loforti, R., *see* R. De Gaudenzi (4–6) 319–331
Lombardi, G.L., *see* G. Alletto (4–6) 597–602
Lopes, A., *see* A. Morris (4–6) 561–567
Lopriore, M., *see* R. De Gaudenzi (4–6) 319–331
Losquadro, G., S-band multiple-access system for a data relay satellite using a direct radiating phased array (4–6) 385–396
Losquadro, G., *see* A. Morando (4–6) 365–383

Marconicchio, F., *see* S. De Padova (4–6) 495–503
Mattiello, E., *see* G. Saldi (4–6) 433–439
Milcz, W., Some communication aspects of satellite systems using highly inclined orbits (4–6) 355–363
Morando, A., R. Giubilei, G. Losquadro, F. Varalaro and W. Schreitmuller, System concepts for the European Data Relay System (4–6) 365–383
Morris, A., A. Lopes, N. Sampson, R. Di Martino and A. Saitto, Master station control and capacity assignment for Italsat network (4–6) 561–567

Nathrath, M., *see* H. Wolf, (4–6) 549–558
Neul, A., Modulation and coding for the aeronautical satellite channel (4–6) 311–318

Ohm, G., *see* M. Alberty (4–6) 513–519
Ohm, G., *see* Th. Wiesmann (4–6) 443–450
Ohmori, S., *see* N. Hamamoto (4–6) 483–493
Olsen, E., *see* V. Ringset (4–6) 521–529
Ono, R., Development assistance: A comparative analysis of the ITU, INTELSAT and the World Bank (1) 57–71

Pelton, J.N., Editorial: Dreaming new dreams (2) 117–118
Pelton, J.N., Editorial: Smart Sats vs. the Bent Pipes (3) 193–194
Pelton, J.N., Editorial: The new leaders in space communications (1) 1
Piontek, M., *see* W. Berner (4–6) 399–403
Piontek, M., *see* W. Berner (4–6) 405–410
Piontek, M., W. Berner, H. Kocher and M.N. Huber, Frame organization and signalling for an autonomous switching satellite (4–6) 411–420

Quernheim, U. and S. Jacobs, Go-back-N and selectife repeat error control techniques for point-to-multipoint satellite communications (4–6) 345–352

Ramaswamy, R., Design of terrestrial/satellite computer communication networks using Slotted ALOHA and SS/TDMA satellite systems (2) 139–154
Ramaswamy, R., Design of terrestrial/satellite computer communication networks using limited-scan spot-beam satellite systems (3) 213–227
Rasmussen, S., W. Schreitmüller and W. Steinert, Performance simulation of robust coding techniques for satellite systems with strong uplink interference (4–6) 299–310
Ringset, V., P.M. Bakken, A. Rönnekleiv, E. Olsen and G. Björnström, SAW technology for multicarrier demodulation in advanced payloads (4–6) 521–529
Rönnekleiv, A., *see* V. Ringset (4–6) 521–529

Saggese, E., *see* F. Ananasso (4–6) 531–542
Saitto, A., *see* A. Morris (4–6) 561–567
Saitto, A., *see* S. De Padova (4–6) 495–503
Saldi, G. and E. Mattiello, Prototype of a digital on-board processor for satellite communication of mobile terminals (4–6) 433–439
Sampson, N., *see* A. Morris (4–6) 561–567
Schlobohm, B. and F. Arndt, Small earth station antenna synthesized by a direct PO method (4–6) 621–628
Schreitmüller, W., *see* A. Morando (4–6) 365–383
Schreitmüller, W., *see* S. Rasmussen (4–6) 299–310
Schrewe, H.-J., *see* P. Koschnick (4–6) 639–644
Schweikert, R., *see* F. Dolainsky (4–6) 293
Shiokawa, T., *see* M. Yasunaga (1) 11–17
Snow, M.S., A series on optimizing satellite systems: Part II: Incentives for traffic diversion from mature to new satellite (1) 37–44
Snow, M.S., A series on optimizing satellite systems: Part III: Cost savings from extending the design lifetime of communications satellites (3) 229–235
Sommer, E., *see* H. Wolf, (4–6) 549–558
Spinnler, M., *see* M. Alberty (4–6) 513–519
Steinert, W., *see* S. Rasmussen (4–6) 299–310
Strasser, J., The ground operations system for DFS and TV-SAT of DBP TELEKOM (4–6) 569–576
Stratigos, J.A., Transmission speed choices in VSAT networks (1) 19–23

Tremurici, D., Payload design and repeater performance of DFS Kopernikus 1 (4–6) 465–481
Tsang, E.K. and R. Douville, A potential 21st century satellite communications application: Personal communications (2) 133–138

Valdoni, F., *see* S. De Padova (4–6) 495–503
Vatalaro, F., *see* A. Morando (4–6) 365–383
Vinck, A.J., *see* F. Dolainsky (4–6) 293

Watanabe, F., Development of a new type of beam-steerable earth station antenna–Offset Spherical Antenna (1) 3–10
Watanabe, F., *see* M. Yasunaga (1) 11–17
Wiesmann, Th., S. Börner and G. Ohm, Optical QPPM communication sybsystem for free-space links (4–6) 443–450 using DSP implementation (4–6) 543–548
Wolf, H., E. Dudok, N. Nathrath and E. Sommer, C-band antennas for regional communication systems (4–6) 549–558

Yasunaga, M., F. Watanabe and T. Shiokawa, Airborne array antennas for satellite communication (1) 11–17
Yim, W.H., C.C.D. Kwan, F.P. Coakley and B.G. Evans, On-board multicarrier demodulator for mobile applications

Subject Index

Volume 7 (1990)

Access scheme and synchronization, 433
Active feed system, 11
Adaptive algorithm, 639
Adaptive microstrip antenna, 639
Aeronautical satellite channel, 311
Aeronautical satellite communications, 11, 483
Africa, 45
Analysis-by-synthesis, 589
Antenna defocusing, 577
Antenna for satellite monitoring, 577
Antenna, 3
ARCHIMEDES, 355
ARQ, 345
Artificial hysteresis, 421
Autonomonous switching satellite, 399

Baseband switching, 495
Beam-forming network, 385, 549
Beam-steerable antenna, 3
BER peformances, 513
Bus, 421

C-band, 195, 549
CELP base-band, 589
Charging policy, 37
Code concatenation, 299
Coding, 293, 299
Coherent demodulation, 495
Communication experiments, 483
Communications development, 57
Communications satellite systems, 37, 229
Computer communication, 19
Concatenation, 293
Costs of satellite systems, 229
Costs, 37

Data communication systems, 597
Data Relay Satellite, 319
Data relay system, 365, 385
Demand assignment and reservation, 333
Demand assignment, 411
Developing countries, 45
DFS, 465
Digital phase shifter, 639
Digital signal processing, 603
Diplexer, 549
Direct detection, 443
Direct numerical synthesis, 621
Distributed memory switch, 405
Diversion of traffic, 37
DPSK modulation, 311
DRS, 365
Dual mode, 549

Earth station, 3
ECSC-1, 421
Erasure decoding, 299
Error control, 345
Error-correction codes, 597
ETS-V satellite, 483

Fault tolerance, 421
FEC, 589
Frame organization, 411
Free-space optical link, 443
FSS and LMSS in inclined orbit satellite systems, 355

Geosynchronous orbit, 195
Ground operations system, 569

Hierarchical network design, 139
High gain antenna sub-system, 119
High-speed transmission, 421
High-voltage power supplies, 613

INMARSAT, 119
INTELSAT, 57
Inter orbit link (IOL), 451
Inter satellite link (ISL), 451
Interference-free optical fibre bus, 613
Interleaving, 299
International assistance, 57
Italsat, 561
ITU, 57

Elsevier
Space Communications 7 (1990) 649–651

0924-8625/90/$3.50 © 1990 – Elsevier Science Publishers B.V. (North-Holland)

Ka-band receiver, 507
Ka-band repeater equipment, 507
Kopernikus, 465
Ku-band, 25, 195

Land mobile satellite communication, 483
Large-scale networks, 139, 213
Laser diode collimator, 443
Laser diode, 443
Line spectrum frequencies (pairs), 589
Linear prediction, 589
Link availability, 237
Link margin, 237
LOOPUS, 355
Low-noise amplifier, 507

Maritime satellite communications, 483
Mass communication, 45
Mathematical models of satellite systems, 37, 229
Maximum likelihood detection, 443
Memory switch, 405
MIC and ASIC technology, 513
Microwave high-power amplifiers, 613
Milimetre wave, 451
Mixed-media networks, 213
Mobile communications, 521
Modem, 603
MOLNIYA orbit, 355
Multibeam antenna, 3
Multibeam coverage, 495
Multibeam, 549
Multicarrier demodulator, 531, 543
Multifeed, 549
Multipath fading, 11
Multiple access, 319, 333, 531, 561
Multiple-access system, 385
Multipoint satellite communications, 345

Network clustering and routing, 139
Network delay analysis, 139
New communications technologies, 45

Offset antenna, 3
OmniTRACS, 25
On-board demodulation, 521
On-board processing, 405, 411, 433, 543
Onboard regeneration, 495
Operational concept, 569
Orbital congestion, 195

Packet data transmission, 333
Parabolic multiband antenna, 577
Payload, 465
Performance index, 237
Performance, 465
Personal communications, 133
Phased array antenna, 11
Phased array, 385
Physical optics method, 621
Poisson processes, 229
Polarization tracking, 577
Programmable modules, 613
Protocol processing, 411
Protocols, 345

QPPM format, 443
QPSK, 6023
QPSK/SQPSK modulators, 513

Radio Frequency Interference, 299
Receiver, 531
Reconfiguration, 549
Reed-Solomon, 293
Reflector profile errors, 629
Reflector shaping, 629
Repeater, 465
Rician fading, 311

Satellite control, 569
SATCOM, 119
Satellite communications system, 25
Satellite communications, 3, 133, 521, 531, 543
Satellite ground stations, 597
Satellite in-orbit depreciation, 229
Satellite information system, 639
Satellite lifetimes, 229
Satellite network, 399
Satellite packet networks, 139, 213
Satellite systems, 365
Satellite, 465, 603
Satellite-land mobile communications, 589
Satellite-specific protocol, 411
Scanning spot-beam satellite systems, 213
Separate satellite systems, 37
Serial and parallel configuration of phase switches, 513
Service integration, 399
Shaped beam, 549
Shaped offset reflector antennas, 621
Signalling system, 433
Signalling, 399
Simulation, 299
Single part failures, 421
Slotted-ALOHA, 139, 333
Soft-decision, 293
Space monitoring, 577
Spectrum allocation, 195
Spectrum occupancy measurements, 577
Speech coding, 589
SS TDMA, 495
SS/TDMA satellite systems, 139, 213
Standard, 613
Station control, 561
System noise temperature 237

T-stage switch, 433
TDMA, 319, 561, 603
Telecommunication, 465
Terrestrial/satellite networks, 213
Time slot assignment algorithm, 213
Time-space-time, 405
Traffic messages, 639
Transportable offset antenna, 629
TT&C equipment, 569
TUNDRA orbit, 355
World Bank, 57
Unauthorized transponder usage, 577
Vector quantization, 589
Viterbi decoding, 311
VLSI, 597
VSAT, 19